AUTHOR'S INDEX

A

G. L. Armstrong 253

B

V. V. Bailey 343
W. T. Bakker 117
C. E. Bates 85
J. T. Berry 101
B. A. Betts 131
D. Boenisch 513
K. G. Bristow 604
H. F. Brooks 15
R. E. Brown 45

C

T. L. Capeletti 59
M. Cappy 355
S. F. Carter 193
P. B. Cervellero 217
M. D. Chaudhari 379, 431
W. W. Cias 317
P. Costa 239
Committee 80A-2 593
D. L. Crews 223

D

N. K. Datta 267
A. C. Den Breejen 7
D. H. Desy 131
H. W. Dietert 329
A. B. Draper 285, 355
M. Drouzy 35
C. M. Dunks 391
D. R. Durham 101

E

J. O. Edwards 189
N. N. Engel 267
C. S. Ennis 413
W. C. Erickson 161

F

E. F. Fascetta 95
R. J. Ferrara 71
M. C. Flemings 95
R. A. Flinn 505, 519
S. Floreen 235
J. J. Frawley 561
J. P. Frick 65

G

H. J. Galloway 181
R. G. Gilliland 301
J. Gomez-Gallardo 571
A. L. Graham 329
R. A. Green 181
R. B. Gundlach 309

H

G. D. Hanson 181
G. W. Healy 555
D. A. Hentz 181
R. W. Heine 361, 379, 431
R. C. Helmink 525
K. H. Hemsath 509
A. H. Hesse 149
G. Hobman 391
J. R. Hornaday 59
D. Hunter 373

I

Q. F. Ingerson 495
Y. Ishikawa 27

J

S. Jacob 35
T. Jayroe 376
E. A. Johnson 375

K

R. S. Kaplan 487
J. K. Kearns 1
A. J. Kiesler 561
R. M. Kotschi 226, 279, 535
G. Krafcisin 145
L. S. Krueger 421

L

M. J. Lalich 441
R. W. Lindsay 65
A. T. Lloyd 229
C. R. Loper, Jr. 226, 279, 379, 431, 473, 535

M

H. V. Makar 45
A. B. Malizio 15
U. D. Mallya 153, 165
G. Mannion 391
R. F. Marande 1
G. J. Martin 413
W. Martin 253
S. Matijasevic 571
S. Meade 449
R. Mehrabian 95
R. D. Mitchell 543
R. H. McSwain 85

N

R. K. Nanstad 473
R. L. Naro 257, 463
E. Natale 239
K. V. K. Nehru 79
L. A. Neumeier 131

O

M. J. O'Brien 593
T. R. Ostrom 505, 519
J. M. Owens 345

P

V. Panchanathan 153, 165
S. Parent-Simonin 209
G. Peretti 239
F. Pilastro 239
G. L. F. Powell 455
K. V. Prabhakar 387

Q

Quality Control Committee 12-E, Ductile Iron Division 545

R

E. G. Ramachandran 79, 125
A. Ramachandran 125
W. M. Rasmussen 299
M. Remondino 239
M. A. Rice 15
R. G. Riek 95
J. B. Rigg 347
H. Md. Roshan 125
E. F. Ryntz 551
G. F. Ruff 525

S

J. M. Samuels 285
G. W. Scholl 355
F. W. Schmidt 285
J. S. Schumacher 181, 329, 611
W. D. Scott 85
M. R. Seshadri 79,125,387
N. Seshadri 387
G. Sciama 39
K. Sono 27
W. M. Spear 235
J. J. Spiwak 463
M. N. Srinivasan 387
R. P. Stanbridge 169
G. R. Strong 361
E. I. Szabo 111

T

E. J. Thomas 453
R. H. Toeniskoetter 463
R. D. Townsend 369
P. K. Trojan 505, 519
J. Truchelut 407
S. Tsuruya 27

V

A. P. Volkmar 599

W

J. F. Wallace 525, 571
L. V. Whiting 189
A. J. Whittle 427
L. E. Wile 598
W. J. Willmot 139
T. M. Wire 295
E. E. Woodliff 349
F. J. Worzala 473

Y

A. Yamanishi 55

Z

C. A. Zanis 71

SUBJECT INDEX

The page numbers refer to the first page of the entire article which contains the subject listed.

A

Abrasion testing of white iron with 17.5% Cr 309
Abrasive wheels, safety inspection 373
Aging of
  Copper alloy with high damping capacity 495
  Urethane and furan binders, effect on pinhole formation in cast irons 257
Air gap formation and solidification of aluminum alloys in coated molds 387
Air sampling for silica dust 145
Alumina
  Refractory for induction melting 117
  Binders for investment casting 111
Alkali earths and molding sand shock expansion 349
Alloying elements in (see also individual elements)
  Aluminum bronze, effect on corrosion 71
  Ductile iron, inoculants 239, 441
  Ferritic malleable, for grain refinement 209
  Steel, nickel and chromium effect 235
  Steelcasting, effect on mold-metal reaction, burn-on and metal penetration 561
  White iron 17.5% Cr 65,309,317
Aluminum alloys
  Al-Si-Mg and Al-Si-Cu-Mg, risering, solidification, defects 153, 165
  with Cu, solidification of in permanent molding 387
  Dimensional stability, finishing (machining) 253
  Grain refinement of 279
  Permanent molding of, thermal behavior 35
  Refining with chlorine for magnesium removal 189
  Resin bonded sand cast 125
  Risering of Al-Si-Mg and Al-Cu-Si-Mg alloys: feeders, insulation, porosity, solidification 153, 165
Aluminum in
  Chills, effect on ferrite content of surface layers of gray iron castings 571
  Cu-Fe alloys, solidification, grain refinement 455
  Cu-Mn alloys, effect on damping capacity 495
  Pressure casting process for pattern plates and coreboxes 299
  Scrap for ferrous melting 487
Aluminum bronze
  Corrosion in seawater, alloying effect, heat treatment effect 71
  Furnace atmosphere and effect on gas pickup 505
  Mechanical properties and effect of gas porosity, shrinkage 505
  Melting, nitrogen and oxygen purging of gas, microstructures 505
Analysis (see also Chemical composition, Thermal analysis)
  Chromatographic, of seacoal substitutes 169
  Thermigravimetric, of molding sand 169
Annealing (see also Heat treatment)
Antimony in mold washes, effect on formation of ferritic surface layer in gray iron 571
Asphalt, substitute for seacoal in molding sand 169, 449
Austenite in white iron
  Retained, effect on wear resistance 65
  Transformation kinetics (17.5% Cr) 317
Automation
  Computer control of plant operation 193
  Ductile iron inoculation in the mold 239
  Solidification of aluminum alloys in permanent molds 387

B

Bainite in white iron 317
Bentonite (see also Sand binders)
  in Hot molding sand, effect on bond 181
  in Molding sand
    effect on Properties 349
  effect of Seacoal substitutes 169
Binders
  Ferrite formation in casting surface layers affected by 571
  for Induction melting refractories, phosphate type ... 117
  for Investment casting, alumina, silica 111
  for Sand (see also Sand binders, Resin-bonded sand)
Bismuth in
  Malleable iron, effect on microstructure 361
  Ferritic malleable iron, grain size effect 209
Blows (see also Defects) in bronze casting, cause and cure 149
Borax in molding sand, effect on properties 349
Boron in ferritic malleable, grain size effect 209
Brass (see also Bronze, Copper alloys)
Bronze (see also Aluminum bronze, Copper alloys)
  Defects in, cause and cure of blows, dross, gating effect, inclusions, misruns, oxidized metal, porosity, shrinkage 149
  Die casting in semi-solid state 95
  Mechanical properties and gas content correlation in tin bronze 519
  Permanent molding, effect of mold coatings on solidification 79
Buckling (sand defect) 349, 513
Burners for fuel-fired and radiant tube heat treatment furnaces 509
Burn-on (see also Defects)
  in Gray, ductile iron and steelcasting 301
  in Sand molding 329
  in Steelcasting, effects of pressure, various molding sands 561
  Prevention with seacoal substitutes in molding sand . 169

C

Carbides in ductile iron, reference standards 551
Carbon
  Content of Steel 555
  in Molding sand, as seacoal and seacoal substitutes .. 169
  Raisers for melting, application and selection, chemistry, effect of alloy elements on carbon pickup 229
Casting design, T and X sections, solidification 535
Cast iron (Gray and ductile)
  Carbon raisers for melt additions 229
  Charge material using chips in induction melting 217
  Dies for permanent molding of aluminum alloys and effect of mold coatings on solidification 387
  Ferrite in gray iron castings 571
  Pipe 193
  Porosity in, from urethane binders 257
  from Recycled ferrous scrap 525
  Solidification and iron-graphite surface phenomena .. 85
  Surface quality, effect of seacoal substitutes on 169
  Thermal analysis for process control and control of microstructure 431
Cementite in (see also Heat treatment)
  Ductile iron
    Isothermal transformations 267
    Reference standards for 551
  White Iron 317
Centrifugal casting of pipe, technical advances 193
Cerium in
  Ductile iron
    Energy effect at iron-graphite interface 85
    Inoculant (with Mg) 15
    effect on Microstructure, mechanical properties . 441
  White iron, effect on properties and structure 361
Charge Materials (see also Scrap)
  Carbon raisers, mechanical and physical properties .. 229
  Chips for induction melting gray iron 217
  Scrap
    Ferrous, upgrading by chemical treatment 45
    Future supply situation 345
    Recovery for melting from waste materials 487, 525
Chemical composition of
  Aluminum bronze 71
  Cast iron
    Induction melted from chips 217

Pinholing tendency in 257
Copper alloys with high-damping capacity 495
Ductile iron
Control using thermal analysis 379, 431
Microstructure, effects of Si, Cr, Cu, Mn 267
Rare earth addition effects 441
Ferrous scrap,
Copper contaminated 45
from Municipal wastes 525
Gray irons with ferritic surface layers 571
Inoculants for gray and ductile iron 239
Malleable iron
Ferrite grain effect in 209
Rare earths effect in 361
Refractories for melting 117
Seacoal substitutes in molding sand 169
Silica content of ambient air 145
Slag on cast iron melted from chips 217
Steel
Carbon, sulfur, manganese, phosphorus, control in 555
Nickel and chromium in 235
White iron
Alloying effects on microstructure and hardness . 65
Chromium (17.5%) in, wear resistance 309, 317
Rare earths effect on 361
Chill effect of mold washes on ferrite content of surface layers in gray iron 571
Chills for
Grain refinement effect on aluminum alloys 279
Reducing gas defect severity in tin bronzes 519
Solidification of copper alloy, effect on heat transfer at mold-metal interface 101
Chips as charge material for gray iron in induction melting 217
Chlorine as refining agent for aluminum to remove magnesium 189
Chromite sand (see also Molding sand)
Chromium in
Ductile iron and matrix microstructure effect 267
Gray iron, effect on ferrite content of surface layers 571
Steel
Martensitic, microstructure, properties 235
Melting, fundamentals 555
White iron
Abrasion-resistant 309
Austenite transformation, hardenability 317
Microstructure, hardness 65
Cleaning and Finishing
Aluminum alloys, machining, dimensional stability .. 253
Injury causes 295
Safety and OSHA requirements 373, 543
of Silicate-CO_2 sand from castings 413
Coal tar, substitute for seacoal in molding sand 169
Coatings (see also Mold coatings)
Coke
Availability and quality for metal casting 347
as Melting additive 229
Cold box process, for coremaking 343, 407
Cold shuts (see also Defects) 329
Columbium in ferritic malleable iron, effect on grain size 209
Compactability of molding sand, effect on casting quality 329, 593
Computer applications to melting and casting control 193
Computer simulation of (see also Simulation)
Moisture transport data in molding sand 355
Sand behavior in molding 329
Solidification
in Chill molds 101
with Color television and film 161
in Stainless steel diecasting 285
in T and X casting sections 535
Condensation zone in sand molding, simulation 355
Cooling curve analysis (see also Thermal analysis)
Copper in
Aluminum bronze and effect on seawater corrosion .. 71
Ductile iron, effect on mechanical properties and microstructure 131, 267
Ferritic malleable iron, grain size effect 209
Ferrous scrap, research on removal 487
White iron and effect on heat treatment 317
Copper alloys
Aluminum bronze (see also Aluminum bronze)
Cu-4% Al solidification against a chill 101
Cu-Fe, grain refinement, microstructure, effect of Al, solidification 455
Defects in bronze castings 149
Die casting in semi-solid state 95
High-damping capacity, manufacture, heat treatment, properties, chemistry, hardness, effect of Mn and Al content 495
Permanent molding, solidification, effect of mold coatings 79
Resin bonded sand cast 125
Tin bronzes, effect of gas content on mechanical properties 519
Copper chloride, effect on ferritic surface layer depth on gray iron castings 571
Copper-manganese-aluminum alloy with high vibration damping capacity 495
Core box construction (see also Patternmaking)
Coremaking
Binders, effect on porosity defects in gray and ductile iron 257
Cold box process
Binders, French practice, odor control, sand preparation 407
Comparison with shell molding 343
Injury causes 295
Inorganic nobake non silicate binder for 463
Silicate-CO_2 process, control 413
Technical advances in 193
Corrosion of aluminum bronze alloys in seawater 71
Corundum (see also Molding sand)
CO_2-Silicate process coremaking, current developments .. 413
Croning process modified 55
Cupola (see also Melting)
Acid vs basic refractory lining 193
vs Electric melting 193
Cure time of nobake bonded sand 463

D

Damping capacity of copper alloys 495
Decarburization, deoxidation, dephosphorizing and desulfurizing of steel 555
Defects (see also specific defect)
in Aluminum alloys, porosity 153, 165
in Aluminum bronze, gas porosity and shrinkage, effect on mechanical properties 505
in Bronze castings: Blows, dross, gating effect, inclusions, misruns, oxidized metal, porosity, risering effect, shrinkage 149
Burn-on
in Ductile and gray irons 301
in Sand molding 329
in Steelcasting, effect of pressure 301, 561
Prevention with seacoal substitutes 169
in Cold box coremaking 407
Crack formation in toughness testing of ductile iron 473
in Ductile and gray irons 301
Inclusions, dross, slag, oxide, centrifugal traps to prevent entrapment 239
due to Inoculation of ductile iron in the mold and stream treatment of ductile iron: dross 391
due to Molding sand: fins, veins, inclusions, buckling, rat-tails, scabs 513
Pinholing due to tramp elements in low grade ferrous scrap 525
Porosity
in Aluminum alloys 153, 165
in Aluminum bronze, due to gas 505
in Bronze castings 149
in Cast iron from urethane and furan binders ... 257
in Detection in simulation of metal solidification 161
in Refractories for induction melting 117
in Tin bronzes, from gas content 519
Reduction through incentive programs 421
Sand expansion and effect of alkali earths 349

in Sand molding: burn-on, cold shuts, scabs, gas defects, metal penetration 329
Shrinkage defect testing of tin bronzes 519
Steel casting, effects of pressure and various molding sands: mold-metal reaction, burn-on, metal penetration 561
Degassing of aluminum alloy with nitrogen/chlorine flux 189
Design of T and X sections in castings 535
Die casting
Copper alloys in semi-solid state, microstructure, rheocasting, thixocasting, viscosity 95
Stainless steel, dies for: die coatings, die materials (Mo and W), heat transfer, thermal fatigue in, simulated solidification in 285
Die coatings (see also Mold coatings)
Dies for stainless steel diecasting, heat transfer parameters 285
Die safety in mechanical presses 373
Dimensional stability of aluminum alloys 253
Directional solidification simulation, uranium 161
Dross (see also Defects) 239
in Bronze castings, cause and cure 149
in Ductile iron with in mold nodulization 391
Ductile iron
Alloying by inoculation in the mold 239
Chemical analysis 267
Copper and Tin effect on ferrite, graphite shape, hardness, impact strength, microstructure, pearlite and properties 131
Defects in
Crack formation during fracture toughness testing 473
Inclusions prevented by mold nodulizing 239
Pinholing due to binders 257
Fading control in
Mold inoculation 239
Multiple nodulizers effect 15
from Ferrous scrap, low grade 525
Flare and smoke reduction using smaller quantities of multiple nodulizing elements — magnesium plus cerium plus other rare earths 15
Fracture toughness testing 473
Graphite-iron interface 85
Graphite shape characteristics 59
Heat treatment effect on
Fracture toughness 473
Matrix microstructure 267
Impact testing 473
Inoculation in the mold (see also Nodulizing)
Mechanical properties 223
As-cast, from low grade scrap 525
Hardness testing for quality control 1
Impact strength
Graphite nodule shape effect 59
Fracture toughness 131, 473
of Mold-nodulized castings 391
Quality specs, quality index 223
Microstructure
Control through thermal analysis 379, 431
Fracture toughness affected by 473
Graphite
Morphology 85
Shape measurement 59
Multiple nodulizers effect 15
Reference standards for
Carbides and cementite in 551
Ferrite and pearlite in 545
Si, Cu, Cr, Mn effect on 267
Sn and Cu effect on 131
Nodulizing (spheroidizing)
Alloying elements, effect on 441
Detection with thermal analysis 379, 431
in the mold: nodularity, mechanical properties, gating design, dross defects, inoculants smoke and flare reduction, European practice 391
In the mold: nodule density effect 239
effect of Mg, Ce and S on graphite surface energy 85
Multiple nodulizing elements - magnesium plus cerium plus other rare earths 15
Nodule count effects on fracture toughness 473
Pipe, melting in cupola 193
Pollution control with mold inoculation 239
Rare earth addition effects 441
from Recycled ferrous scrap 525
Specifications for standard grades, new method 223
Spheroidizing (see also Nodulizing above)
Stream treatment 391
Thermal analysis for process control and control of microstructure 379, 431
Dust control (see also Environmental control)
Sand reclamation, dust collection during 427
Silica measurement in ambient air 145

E

Electric melting (see Induction melting, Melting)
Electrophoresis to assist in buildup of investment casting shell molds 111
Energy
Availability for foundry processes 347
Conservation in heating operations 509
for Steel melting 555
Environmental control
in Cold box process coremaking (odor) 407
Fumeless refining of aluminum with chlorine to remove magnesium 189
Health effects of mold-metal reaction with seacoal in sand 301
in Recovery of ferrous scrap for melting by incineration 487
Safety inspection of abrasive grinding wheels and safety precautions for mechanical presses 373
Silica and silicosis, measurement 145
Equipment for
foundries, OSHA safety requirements 543
Sand reclamation 7
Eutectometer (see Cooling curve, Thermal analysis)

F

Fading control in ductile iron with mold inoculation 239
Feeding of
Aluminum alloys 153, 165
Cast shapes, T and X sections in castings 535
Ferrite in (see also Heat treatment)
Ductile iron
effect of Cu and Sn additions 131
Reference standards for 545
Gray iron castings, surface layer 571
Malleable iron, effect of heat treatment and copper additions on 209
Ferrosilicon
Activator in new fluid sand process 27
effect on Ferritic layer formation in gray iron castings 571
Ferrous scrap from municipal wastes 487, 525
Finishing (see also Cleaning and finishing)
Fins (see also Defects) 513
on T and X section castings, cooling effect 535
Flare (see also Smoke, flare and fume)
Flue gases from heat treatment operations 509
Fluid sand process with improved properties using no wetting agent bonded with sodium silicate coated sand and ferrosilicon 27
Foundry equipment — OSHA requirements for safety ... 543
Fracture toughness of
Ductile iron
Rare earths additions effect 441
Theory and procedure 473
Fuel
Availability for foundry processes 347
Gas fired heat treatment furnace operation, energy conservation 509
Fume (see also Smoke, flare and fume)
Furnaces
Atmosphere effect in aluminum bronze melting and effect on gas pickup 505
Heat treatment operating techniques for best efficiency 509
Incinerators for smokeless recovery of ferrous scrap 487

Refractories for, induction 117
Selection 193

G

Gas
in Aluminum alloys, refining with nitrogen-chlorine flux 189
for Silicate-CO_2 cores, control of 413
in Tin bronze, correlation with mechanical properties 519
Gas defects in (see also Defects)
Aluminum bronze, effect on mechanical properties, purging with nitrogen 505
Bronze castings, porosity 149
Ductile and gray iron and effect of binders 257
Sand molding 329
Tin bronzes, testing for 519
Gating (see also Feeding, Risering)
Defects due to, in bronze casting 149
Ductile iron, mold-inoculated 391
Slag trap designs for mold inoculation 239
Gilsonite, substitute for seacoal in molding sand 169
Grain refinement in
Aluminum alloys 279
Copper-iron alloys 455
Ferritic malleable iron, by alloy additions 209
Grain size of
Aluminum alloys, refining techniques 279
Copper alloys, nucleation effects 455
Sand, distribution of
Equipment requirements 7
Reclamation 427
Strength 301
Graphite
in Ductile iron
Inoculants, effect 15, 239
Isothermal transformation, effect on 267
Mold-inoculated, nodularity of 391
Morphology 59, 85
Effect of Sn and Cu on shape and distribution .. 131
Nodularity prediction using thermal analysis 379, 431
Shape, effect of Sn and Cu 59, 131
in Malleable iron, nodule form and effect of rare earths 361
Morphology in solidifying gray and ductile iron 59, 85
Pattern and shell component in investment shell buildup with electrophoretic desposition 111
Types and properties, as carbon raiser for melting additions 229
Graphite-iron interface
Interfacial energy of gray and ductile iron 85
Graphitization of
Malleable iron and effect of rare earths 361
Gray iron
Alloying by inoculation in the mold 239
Charge materials, chips for electric melting 217
Ferrite in surface layers of castings 571
Graphite-iron interface 85
Inoculation in the mold 239
Microstructure with ferritic surface layers 571
Pinholing defects due to binders 257
from Recycled ferrous scrap 525
Thermal analysis for process control and control of microstructure 431
Green sand molds and
Ferrite formation in surface layers of gray iron castings 571
Transformation zones (vapor transport, condensations zones) in 355
Green strength of molding sand 593
Grinding wheels, safety inspection 373

H

Hardness testing of
Copper alloys with high damping capacity 495
Ductile iron
for Control of properties 1
Inoculants, effect of 239
Malleable iron for control of properties 1
White iron
Alloy effect in matrix carbide 65
Hardenability of 17.5% Cr alloy 309, 317
Heat recovery in furnace operations 509
Heat transfer (see also Temperature, Thermal analysis, Thermal behavior)
in Copper alloy, simulation of solidification 101
in Die materials for stainless steel diecasting 285
in Direct fired and radiant tube heat treatment furnaces 509
Diffusivity of resin bonded sand 125
Hot spots 39
in Permanent molds casting
Aluminum, at mold-metal interface 35
Copper alloy 79
Simulation of solidification, uranium castings 161
Thermal conductivity of refractories for induction melting 117
Heat treatment of
Aluminum bronze, effect on corrosion 71
Cast metals, furnaces for, air preheating, operating techniques 509
Copper alloys, for damping capacity 495
Ductile iron, effect on
Fracture toughness 473
Matrix microstructure 267
Microstructure 131
Ferritic malleable, for grain refinement 209
Malleable iron, effect of rare earths 361
Steel, effect on mechanical properties 235
White iron, austenite, bainite, martensite, pearlite and cementite in 317
High pressure molding, effect of
Seacoal substitutes on performance 449
Binder distribution, sand analysis and properties 139
History of sand reclamation 7
Hot spots in
Casting solidification 39
T and X junctions, simulation 535
Hot strength of sand
Bond strength effects 181
in Fluid sand 27
in Transport (condensation) zone 355
Hygiene (see also Environmental Control)

I

Impact strength (see also Mechanical Properties)
Incentive programs and scrap reduction through motivation of personnel 421
Incinerators for scrap recovery 487
Inclusions (sand) 513
in Bronze castings, cause and cure 149
Prevention with inoculation traps 239
Induction Melting (see also Melting)
Chips for gray iron 217
Refractories
Alumina, silica, castables, phosphate bonded, mechanical and thermal properties 117
Inoculation of (see also Mold inoculation Nodulizing, Stream treatment)
Ductile iron, measurement using thermal analysis ... 379, 431
Ductile iron in the mold 391
Gray iron and effect of Mg, Ce, and S on surface energy of graphite 85
Iron as copper alloying element 455
Iron oxide and
Ferritic surface layer depth effect in sand molded gray iron castings 571
Metal penetration inhibitor for steel castings 561
Insulation
of Aluminum alloy castings, effect on soundness 153, 165
Die coatings effect on solidification in permanent molds 387
Interfacial energy at graphite-iron interface of gray and ductile iron, graphite shape and effect of graphite orientation 85
Investment casting, binders, refractories, shell build-up with electrophoresis 111

J

Jolt toughness of molding sand 593

L

Lead Solidification against a chill 101
Ledeburite in malleable iron 361
Lime in molding sand, effect on properties 349
Liquid coal, substitute for seacoal in molding sand 169
Lustrous carbon, generation in molding sand to prevent burn-on 169

M

Machining
  Aluminum alloys, effect on dimensional stability 253
  Surface layer effect on gray iron castings 571
Macrostructure of grains in
  Copper-iron alloys 455
Magnesium
  in Ductile iron
    Inoculant (with Ce) 15
    effect on Graphite shape 85
    for Mold nodulizing 391
    with Rare earths, inoculant 441
  Removal from aluminum with chlorine 189
Maintenance
  of Cold box process coremaking equipment 343
  Injury causes 295
  of Sand system operation 593
Malleable iron
  Bismuth and tellurium additions effect on mottle 361
  Ferrite in, effect of bismuth, boron, copper alloying elements and heat treatment on grain refinement 209
  Graphitization, graphite nodule shape, effect of rare earths 361
  Hardness testing for quality control 1
  Heat treatment
    effect on Ferrite 209
    effect of Rare earths 361
  Melting, solidification, superheat, thermal analysis 361
  Rare earth treatment effect on properties, microstructure, nodule count and also effect of bismuth and tellurium 361
Management of
  Personnel through incentive programs 421
  Sand system operation 593
Manganese in
  Copper alloy with high damping capacity 495
  Ductile iron and matrix microstructure effect 267
  White iron and effect on microstructure and hardness 65
Martensite (see also Heat treatment)
  in Nickel alloyed steel 235
  in White iron 317
Mechanical presses, safety inspection 373
Mechanical properties of
  Aluminum alloys, Al-Si-Mg and Al-Si-Cu-Mg 165
  Aluminum bronze and effect of gas porosity 505
  Copper alloys with high damping capacity 495
  Ductile iron
    Cast from municipal waste ferrous scrap 525
    Inpact strength, fracture toughness 59,131,473
    Mold-nodulized 391
    Quality specifications, quality index 223
  Gray iron
    Cast from ferrous scrap from municipal wastes . 525
    Treated to eliminate ferrite surface layer 571
  Hardness, techniques for measuring 1
  Malleable iron
    Grain size effect 209
    Rare earths treatment effect 361
  Molding sand
    Alkali earth additions effect 349
    Binder effect on 463
    Hot, temperature effect on 181
    Impact toughness, shear strength 593
    Silica, for gray, ductile iron and steelcasting 301
    Seacoal substitutes, effect on 169
  Refractories for induction melting 117
  Steel alloyed with Ni and Cr 235
  Tin bronzes and gas content correlation 519
  White iron
    with 17.5% Cr 309
    Wear resistant alloy 65
Melting
  Aluminum bronze and gas pickup 505
  Carbon raisers for melt additions 229
  Charge materials for, supply, prices 345
  Chips for gray iron 217
  Copper alloys for semi-solid state die casting 95
  Cupola, choice of refractories 193
  Ductile iron for mold nodulizing 239
  Ferrous scrap from municipal wastes 525
  Ferrous scrap for, recovery of 487
  Furnace selection and operation 193
  Malleable iron alloyed with rare earths 361
  Refractories for induction: Alumina, silica, castables, phosphate bonded, mechanical and thermal properties 117
  Safety in, OSHA requirements 543
  Sodium sulfate treatment to remove copper 45
  Steel (see also Steel melting) 555
  Temperature and effect of sodium sulfate additions .. 45
Metal penetration in (see also Defects)
  Gray, ductile iron and steelcasting, silica molds 301
  Sand molding, prevention through control 329
  Steelcasting, effects of pressure, various molding sands 561
Methylene blue test for total clay in sand 329
Microhardness of alloyed white iron 65
Microstructure of
  Aluminum bronze
    with Gas porosity 505
    Heat treated to resist corrosion 71
  Copper alloys, die cast in semi-solid state 95
  Ductile iron
    Control using thermal analysis 379, 431
    Effect of Si, Cu, Cr and Mn 267
    Effect of Sn and Cu 131
    Graphite shape effect 59
    Multiple nodulizer effect 15
    Nucleated by different graphite morphologies ... 85
    Reference standards for carbides and cementite content 551
    Reference standards for pearlite and ferrite content 545
    Related to fracture toughness 473
  Gray iron
    with Ferritic surface layers 571
    Nucleated by different graphite morphologies ... 85
  Malleable iron, effect of alloying elements and heat treatment on grain size 209
  Semi-solid cast (rheocast and thixocast) copper alloys 95
  White iron with 17.5% Cr 309, 317
Misruns (see also Defects) in Bronze castings, cause and cure 149
Modernization of metalcasting plant operations 193
Moisture, effect on gas content in tin bronzes 519
Moisture in molding sand and
  Behavior in vapor transport zones, simulation of 355
  Bond strength effect in hot sand 181
  Ferrite formation in gray iron castings 571
  Permeability effect 329
  Properties
    Binder effect, inorganic nobake 463
    Bond strength of hot sand 181
    Testing for 593
Moldability index 593
Mold coatings of permanent molds for copper alloy casting, thermal behavior and solidification 79
Molding sand (see also Silica, Alumina)
  Additives
    Alkali earths, borax, lime, effect on properties 349
    Ferrite formation effect in surface layers of gray iron castings 571

Seacoal, health effects 301
Seacoal substitutes 169, 449, 593
Chromite sand
effect on Ferrite formation in surface layers of gray iron 571
for Steelcasting, mold-metal reactions 561
Clay in, methylene blue test 329
Compactability and effect on casting quality 329
Computer simulation of sand behavior 329
Condensation and vapor transport zones 355
Control of
Corundum, effect on ferrite formation in surface layers of gray iron 571
Diffusivity of resin-bonded 125
Expansion defects: inclusions, fins, buckling, veining, rat-tails 513
Fluid sand properties 27
Hot, effects on binder and properties 181
Mixing, effect on sand properties 329
Moisture in 329, 355
Permeability, effect of moisture and binders 329
Pouring effect on vapor transport in 355
Preparation, mixing vs. mulling 369
Pressure effects on properties 139
Properties 593
Reclamation, grain size and distribution 427
Seacoal and seacoal substitutes in 169, 301, 449, 593
Silicate-CO_2, process control in 413
Surface finish, effect of binders on cure time, strip time 463
Temperature effects on condensation zone and thermal properties 355
Zircon sand
effect on Ferrite formation in surface layers of gray iron 571
for Steelcasting, mold-metal reactions 561
Mold inoculation of ductile iron (see also Ductile iron, Nodulizing)
Alloying effect 391
Fading control, hardness effects, inoculant composition, nodule density, smoke elimination, gating to prevent dross, inclusions 239
Mold-metal interface
Ferrite formation at, in gray iron 571
in Permanent mold cast copper alloys 79
Reactions with
Gray ductile and steel castings in silica molds ... 301
Refractory for induction melting 117
Steelcasting: behavior of sands, binders, alloying elements 561
Simulation of solidification at 101
Solidification effect on aluminum alloys 387
Temperature measurement in resin bonded sand molds 125
Mold washes, and die coatings
Chill effect in gray iron castings with ferritic surface layer 571
for Die casting stainless steel 285
for Permanent mold casting of aluminum-copper alloys 387
for Sand bonded with inorganic nobake non-silicate binder, effect on surface finish 463
Molybdenum
Alloy dies for stainless steel diecasting 285
in White iron
Abrasion resistance, effect on 309
Hardenability effect 317
Hardness and microstructure effect 65
Monel, comparison with aluminum bronze in seawater corrosion 71
Mottle in
Malleable iron, effect of bismuth and tellurium 361
Mulling (mixing) of molding sand 593
for Cold box coremaking 407
of Hot sand 181
Mixing vs. mulling 369
effect on Properties (mixing) 329
Resin-bonded, effect of treatment on porosity defects in castings 257
Safety in 543

N

Nickel in
Aluminum bronze and effect on seawater corrosion .. 71
Steel, martensitic 235
White iron
Heat treatment effects 317
Microstructure and hardness effect 65
Nitrogen purging of gas in
Aluminum bronze melting 505
Nobake binder (see also Resin bonded sand)
Nodular iron (see also Ductile iron)
Nodule count in
Ductile iron
Cast from reclaimed low grade ferrous scrap 525
Graphite shape effect 59
Mold Inoculated 391
Multiple nodulizers effect 15
Rare earths effect 441
Relation to fracture toughness 473
Using thermal analysis 379, 431
Malleable iron
Grain size effect 209
Rare earths effect 361
Nodulizing of ductile iron
effect of Mg, Ce, and S on surface energy of graphite 85
Measurement using thermal analysis 379, 431
Mold nodulizing 239, 391
with Multiple nodulizing elements — magnesium plus cerium plus other rare earths 15
with Rare earth additions 441
Nucleation of
Ductile iron (see also Nodulizing)
Grain in copper-iron alloys 455

O

Odor control in cold box process coremaking 343, 407
OSHA requirements for
Grinding wheel safety and mechanical press operation 373
Safety of foundry equipment 543
Oxides
Iron, in sand molding
effect on Ferritic surface layer in gray iron castings 571
Inhibitor of metal penetration in steelcasting 561
Oxide inclusions (see also Defects)
in Bronze castings, cause and cure 149
Centrifugal traps to prevent entrainment 239
Oxygen
Enrichment of fuel for heat treatment 509
Purging of gases in aluminum bronze melting 505

P

Patternmaking
Core box construction, recommendations 453
Pressure casting process for aluminum pattern plates and core boxes 299
for Cold box process 343, 407
Pearlite in
Ductile iron
effect of Cu and Sn 131
Reference standards for matrix 545
Gray iron sub-surface layer, mold wash effect 571
White iron 317
Penetration effect in (see also Defects)
Gray, ductile iron and steelcasting 301
Metalcasting due to poor sand control 329
Steelcasting, effects of pressure, various molding sands 561
Permanent molding of
Aluminum alloys, thermal properties 35
Aluminum-copper alloys 387
Copper alloys, effect of mold coatings 79
Permeability of molding sand, moisture effect 329
Phosphorus removal in steelcasting 555

Physical properties of carbon 229
Pinholing (see also Defects)
in Cast iron recovered from low grade scrap 525
in Ductile and gray iron, due to binders 257
Pitch, substitute for seacoal in molding sand 169
Pollution control by (see also Environmental Control)
Cold box process (odor) 343, 407
Ductile iron inoculation in the mold 239
Incineration of ferrous scrap 487
Polystyrene, substitute for seacoal in molding sand 169
Porosity
Detection in metalcasting simulation 161
in Refractories for induction melting 117
Porosity defect in (see also Defects)
Aluminum alloys Al-Si-Mg and Al-Cu-Si-Mg 153, 165
Aluminum bronze, due to gas 505
Bronze castings, cause and cure 149
Ductile and gray iron, effect of binders 257
Tin bronzes, testing for 519
Pouring temperature, effect on
Ductile iron inoculation in the mold 239
Ferrite content of gray iron surface 571
Solidification 101
Vapor transport zone in molding sand 355
Preheating fuel/air mixture for heat treatment furnaces 509
Pressure casting for aluminum for pattern plates and coreboxes 299
Pressure effects on
Binder distribution and sand bonding in high pressure molding 139
Metal penetration and mold-metal reaction during steelcasting in sand 561
Process control of
of CO_2-silicate coremaking 413
Cold box coremaking 407
Ductile iron using thermal analysis 379, 431
Productivity
Improvement by proper gassing in silicate-CO_2 process 413
Man-hours per ton of castings with incentive program 421

Q

Quality index of ductile iron, definition and application 223
Quartz (see also Silica)
Quartz/cristobalite transformation in silica sands 301

R

Rare Earths
in Ductile iron
as Inoculant 15
effect on Microstructure, properties 441
in Low grade ferrous scrap, for reduction of tramp elements 525
in Malleable iron 361
in White iron, effect on properties and structure 361
Rat-tails (see also Defects) 513
Raw materials (see Charge materials, Fuel, Scrap)
Reclamation of
Sand (see also Sand reclamation)
Ferrous scrap
for Melting (with copper) 487
for Municipal wastes 525
Recuperators capture waste heat from furnace 509
Recycling ferrous scrap
for Metalcasting 487
from Municipal wastes 525
Reference standards for ductile iron microstructures
Carbides and cementite 551
Ferrite and pearlite matrix 545
Refining
Aluminum alloys with chlorine to remove magnesium 189
Refractories (see Induction melting refractories, Melting, Alumina, Chromite, Corundum, Silica, Zircon)
Acid vs basic linings for cupolas 193
Castables for induction melting 117
Investment casting 111
Reactions with slag and metal, induction melting 117
Resin bonded sand
Aluminum and copper alloys cast in 125
effect of
Binder/hardener ratio in new inorganic nobake non-silicate binder 463
Binder on ferrite formation in gray iron surface layers 571
Diffusivity, heat extraction, heat transfer from, solidification in 125
for Cold box process coremaking 407
Porosity defects due to urethane and furan 257
Temperature measurement, thermal properties 125
Risering of
Aluminum alloys 153, 165
Bronze castings; effective in reducing defects 149
T and X sections in castings 535
Rheocasting (see also Die casting partially solidified copper alloys)

S

Safety (see also Environmental control)
in Cleaning, finishing and foundry equipment 543
Health effects of, mold-metal reaction with seacoal in sand 301
Injury causes in cleaning and finishing, coremaking, maintenance, molding 295
Inspection of abrasive grinding wheels and mechanical presses 373
in Melting and sand preparation 543
Sand additives
Alkali earths, sodium silicate, borax, lime, effect on properties 349
Bonding effect 593
effect on Ferrite formation in surface layers of gray iron castings 571
Seacoal, health effects of metal-mold reaction 301
Seacoal substitutes 169, 449, 593
Sand binders
Aging, effect on defect formation 257
Bentonite
in Hot sand, effect on bond and properties 181, 349
effect of Seacoal substitutes 169
for Cold box coremaking 407
for Ductile iron pipe production 193
effect on Ferrite content of surface layers in gray iron castings 571
High pressure molding effect 139
in Hot molding sand, effect on bond 181, 349
Inorganic nobake non silicate binder 463
Mold-metal reaction effect in steel casting 561
Molding sand strength, effect on 329
Permeability, effect on 329
Resin-bonded, thermal properties of 125
for Shell molds, improved surface finish 55
Sodium silicate, effect on properties 349, 413
Testing of 593
Urethane and furan binders causing porosity formation in cast iron 257
Sand grain size and distribution
Equipment for measuring 7
Reclamation, effect on 427
Strength of molds, effect on 301
Sand molding (see also: Fluid sand, High pressure molding, Molding sand, Shell molding)
Binder for, inorganic, non-silicate 463
Condensation zones 355
High pressure, effect on binder distribution, sand bond; effect of sand analysis 139
Injury causes in 295
Metal-silica reactions 301
Moisture transport data simulation 355
Seacoal substitutes
in Automotive production 449
for Elimination of defects 169
in Gray iron casting 571
Health effects 301
and System sand control 593
Shell molds and improved surface 55
with Silicate-CO_2 process, control of 413

Systems, control of with seacoal substitutes 593
Technical advances 193
Transport zones 355
Sand preparation (see also Mulling, mixing)
Sand properties
effect of Borax, lime and alkali earth additions 349
Defect prevention, permeability, compactability, methylene blue test 329
Fluid sand — new process 27
High pressure molding effect 139
Hot sand effects on bond strength 181
Improvement with proper gassing of silicate bonded sand 413
of Mixed vs. mulled sand 369
Moisture effect 593
Seacoal substitutes, effect on 169, 449
of Silica sands in gray, ductile iron and steel-casting 301
Sand Reclamation
Dust collection during 427
History 7
of Inorganic nobake non silicate binder 463
Mechanical 7
Pneumatic 7, 427
Sand grain size and distribution effect 427
Sand testing after reclamation 427
Shot-blasting 7
Thermal, thermal-pneumatic, wet, wet-thermal 7
Sand systems
Defect control in 329
Management, maintenance and effect of seacoal substitutes 593
Sand testing and control
Binders 329
Compactability 593
Defects 329
Effective clay 593
Green compression test 593
Grain size measurement of sand after reclamation ... 427
Green shear test, tensile test 593
Impact value 593
Jolt toughness 593
Measurement of mold-metal reactions in casting gray, ductile iron and steel in silica molds 301
Mixing 329
Moldability index 593
in Plant operations with seacoal substitute 449
Shatter test (British), shatter toughness 593
Splitting strength 593
Systems 329
Scabs (see also Defects)
in Sand molding 329
due to Molding sand 513
effect of Alkali earth additions 349
Scrap
Aluminum content of scrap for ferrous melting 487
Cast iron chips, recovery for remelting 217
Causes of defects in sand molding 329
Chemical composition 525
Copper removal from
Low grade scrap 487
with Sodium sulfate 45
Ferrous, recycled from municipal waste 45,487,525
Future supply, prices, availability 345
Incinerators used in scrap recovery 487
Mechanical properties of gray and ductile irons cast from 525
Melting in cupola and arc furnace 525
Nodule count of ductile iron cast from 525
Rare earths to reduce effect of tramp elements 525
Recovery of
Cast iron chips for induction melting 217
Ferrous scrap (post-consumer) 487
Recycling for metalcasting 487
Reduction through incentive programs 421
Tramp elements in scrap 487
Upgrading of 45
Seacoal and seacoal substitutes
in Gray iron castings, effect on ferrite content of surface layers 571
Health effects of mold-metal reaction 301
in Molding sand
for Automotive production 449
Elimination of defects 169
System sand control 593
Semi-solid metals, casting of copper alloys, rheo-casting, thixocasting 95
Sessile drop test for measuring iron-graphite interfacial energy 85
Shell molding (see also Investment casting)
Comparison with cold box process 343
Ferrite formation in surface layers of gray iron castings 571
KY process to improve surface 55
Shrinkage in (see also Defects)
Aluminum bronze 505
Bronze castings, cause and cure 149
Sand casting, due to improper sand control 329
Tin bronzes, testing for 519
Silica
Binders for investment casting 111
Coating for permanent molds casting Cu 79
Health hazard: silicosis, Dust measurement method in ambient air 145
Refractory for induction melting 117
Sand
for Molding, effect of high pressure 139
for Steelcasting, mold-metal reactions 561
Transformations at mold/metal interface in casting steel, gray and ductile iron 301
Silicon nitride die materials for stainless steel die casting 285
Silicosis, measurement of silica dust in ambient air 145
Simulation of (see also Computer Simulation)
Mold-metal reactions in steel casting 561
T and X sections solidification 535
Slag (see also Defects) 239
Reactions with refractory 117
Recycling of, on ferrous melt to remove copper 45
in Steel melting 555
Smoke, flare and fume
Elimination by incinerating ferrous scrap 487
Fumeless refining of aluminum with chlorine to remove magnesium 189
by Mold inoculation of gray and ductile iron 239, 391
Reduction by use of multiple inoculants 15
by Stream treatment inoculation of ductile iron 391
Sodium silicate
in Molding sand, effect on properties 349, 413
Sodium sulfate for treatment of copper contaminated ferrous scrap 45
Solidification of
Aluminum alloys
in Sand molds 125, 153, 165
in Permanent molds, effect of air gap formation 387
Bronze in metal molds 79
Copper alloys
Grain refinement in Cu-Fe alloy 455
in Metal molds 79
in Sand 125
in Semi-solid state, bronze 95
Simulation, heat transfer, effect of chills 101
Die castings
Semi-solid copper alloys 95
Stainless steel in metal molds 285
Ductile and gray irons, measurement using thermal analysis 379, 431
Lead, against a chill, heat transfer 101
Malleable iron and effect of rare earths 361
Stainless steel die casting 285
T-junction castings 39
T and X sections, feeding of 535
Uranium alloys, computer simulation 161
White iron and effect of rare earths 361
Specific heat of permanent molds casting Cu alloy 79
Stainless steel die casting 285
Steel
Alloying elements, Ni and Cr effect 235
Carbon raisers for melt additions 229

Casting under pressure in chromite, zircon and silica sands; mold-metal reaction, burn-on, metal penetration 561
Melting: fundamentals, desulfurization, decarburization, carbon content, deoxidation, dephosphorization, slag effects 555
Stainless, die casting of 285
Welding of steel alloyed with Ni and Cr 235
Storage of sand containing seacoal replacements 593
Stream treatment of ductile iron 391
Strip time of inorganic nobake non-silicate bonded sand 463
Sulfur in
Cast iron, removal for ductile iron production 193
Ferrous charge material, effect of sodium sulfate treatment 45
Gray iron and effect on iron droplet shape in sessile drop test 85
Steelcasting, removal of 555
Superheat effect on
Copper base alloy solidification 101
Malleable iron structure 361
Surface finish of castings
in Nobake molds bonded with inorganic non-silicate binder 463
in Shell molds, improved by KY process 55
Surface tension in gray and ductile irons, effect of alloying elements 85

T

Television and color movie display of solidification simulated by computer 161
Tellurium in malleable iron, effect on microstructure 361
Temperature (see also Temperature effects on)
for Die casting semi-solid state copper alloys at lower temperatures 95
of Flue gases related to furnace operation efficiency 509
Measurement in resin bonded sand molds 125
of Melt, effect of Na_2SO_4 additions 45
Mold-metal interface
in copper alloys 79
of aluminum in cast iron molds 387
Pouring
effect on Ferrite content of surface layers in gray iron castings 571
effect on Solidification 101
Simulation during solidification of uranium alloy casting 161
Temperature effects on
Bonding properties of hot molding sand 181
Cure time of sand bonded with inorganic nobake non silicate binder 463
Ferrite content of surface layers of gray iron castings 571
Fracture toughness and impact strength of ductile iron 473
Inoculation efficiency of ductile iron 239
Moisture transport zone in molding sand 355
Solidification, pouring 101
Testing
Bronzes for gas content 519
Grinding wheels for soundness 373
Testing and control of sand in sand systems (see also Sand testing and control)
for Defect prevention: permeability, methylene blue, compactability measurements 329
Seacoal replacements, effect 593
Thermal analysis of
Aluminum alloys solidifying in cast iron permanent molds 387
Copper alloys 455
Ductile iron for control of nodule count and chemical composition 379, 431
Malleable iron and white iron 361
Thermal behavior of (see also Heat transfer)
Die casting dies for stainless steel die casting 285
Hot molding sand 181
Molding sand, simulation of moisture transport zones 355
Molds with new inorganic nobake binder 463
Permanent molds
for Aluminum castings 35, 387
for Copper alloy castings 79
Refractories for induction furnaces 117
Resin bonded sand, binders, aluminum, copper 125
Simulated solidification of uranium 161
Thermal conductivity (see also Heat transfer)
of Mold and effect on solidification rate, a simulated study 161
in Permanent molds casting copper alloy 79
of Refractories for induction melting 117
Thixocasting (see also Die casting partially solidified copper alloys)
Tin
in Ductile iron, with Cu, effect on microstructure 131
in Mold washes, effect on ferrite formation in surface layers of gray iron 571
Tin bronzes (see also Bronze)
Titanium in
Aluminum alloys, effect on grain refinement 279
Aluminum bronze and effect on seawater corrosion 71
T-junctions in castings, feeding of 535
T and X sections in castings
Simulation of solidification 535
Solidification 39
Toughness (see also Mechanical properties)
Tramp elements
Reduction by rare earths in low grade ferrous scrap recycled from municipal waste 525
in Scrap for ferrous melting 487
Transport zones, simulation of molding sand behavior 355
Triethylamine in cold box process coremaking 343
Tungsten alloy dies for stainless steel die-casting 285

U

Undercooling (see also Cooling curves, Thermal analysis)
of Copper-iron alloys, effect on grain structure 455
of Ductile irons, thermal analysis 379, 431
U.S. Government research on
Energy and fuel availability for metalcasting report 347
Scrap recovery 487
Scrap for metalcasting, prices, availability report 345
Uranium, simulation of solidification 161

V

Veins (see also Defects) 513
Volatiles
in Seacoal substitutes for molding sand 169
in Seacoal and asphaltic seacoal substitute for molding sand 449
V/SA ratio and solidification effect in permanent molds 387

W

White iron
Abrasion resistant 309
Alloying effects of Ni, Cr, Mo 65
effect of Cr, Cu, Mo and Ni on heat treatment 317
Cerium treatment, effects on structure and properties 361
Chemical composition of 17.5% Cr alloy 317
Hardness, heat treatment and microstructure of 17.5% Cr alloy 317
Rare earths treatment, effects on structure and properties 361
17.5% Cr, abrasion-resistant: hardness, structure, alloying elements 309
Solidification, effect of rare earths 361
Wear resistance 65, 309
Wear resistance of white iron
with alloys 65
with 17.5% Cr 309
Welding of steel alloyed with Ni and Cr 235

X

X-sections in castings, solidification and feeding 535

Z

Zircon sand (see also Molding sand)